

SEQUENCE LISTINGS

<110> Hanmi Pharm. Co., Ltd.

<120> EXPRESSION VECTOR FOR SECRETING ANTIBODY FRAGMENT USING E. COLI SIGNAL
SEQUENCE AND METHOD FOR MASS-PRODUCING ANTIBODY FRAGMENT

<130> Q94300

<140> 10/576,068

<141> 2006-04-14

<150> KR1020030072216

<151> 2003-10-16

<150> PCT/KR04/02625

<151> 2004-10-14

<160> 36

<170> KopatentIn 1.71

<210> 1

<211> 75

<212> DNA

<213> Artificial Sequence

<220>

<223> gene fragment of light chain variable region

<400> 1
ggaaagcttc gatcgacat ccagatgacc cagtctccat cctccctgtc tgcatactgta 60
ggggacagag tcacc 75

<210> 2

<211> 80

<212> DNA

<213> Artificial Sequence

<220>

<223> gene fragment of light chain variable region

<400> 2
tggtttttgc tgataccagg ctaagtaatt tctgatgccc tgacttgccc gacaagtgtat 60
ggtgactctg tccccctacag 80

<210> 3

<211> 80

<212> DNA

<213> Artificial Sequence

<220>

<223> gene fragment of light chain variable region

<400> 3
cctggtatca gaaaaacca gggaaagccc ctaagtcct gatctatgct gcatccactt 60
tgcaatcagg ggtcccatct 80

<210> 4
<211> 80
<212> DNA
<213> Artificial Sequence

<220>
<223> gene fragment of light chain variable region

<400> 4
aggctgttagg ctgctgtatgg tgagagtgaa atctgtccca gatccactgc cactgaaccg 60
agatgggacc cctgattgca 80

<210> 5
<211> 80
<212> DNA
<213> Artificial Sequence

<220>
<223> gene fragment of light chain variable region

<400> 5
ccatcagcag cctacagcct gaagatgttg caacttatta ctgtcaaagg tataaccgtg 60
caccgtatac ttttggccag 80

<210> 6
<211> 41
<212> DNA
<213> Artificial Sequence

<220>
<223> gene fragment of light chain variable region

<400> 6
tttatttcc accttggtcc cctggccaaa agtatacggt g 41

<210> 7
<211> 75
<212> DNA
<213> Artificial Sequence

<220>
<223> gene fragment of heavy chain variable region

<400> 7
gggaagcttc gatcgagggt gcagctgggt gagtctgggg gaggcttggt acagcccgcc 60
aggcccctgaa gactc 75

<210> 8
<211> 79
<212> DNA
<213> Artificial Sequence

<220>
<223> gene fragment of heavy chain variable region

<400> 8
agcttgcgg acccagtgc tggcataatc atcaaagggtg aatccagagg ccgcacagga 60
gagtctcagg gacctgcgg 79

<210> 9
<211> 80
<212> DNA
<213> Artificial Sequence

<220>
<223> gene fragment of heavy chain variable region

<400> 9
tgcactgggt ccggcaagct ccagggaaagg gccttggaat ggtctcagct atcactttgg 60
atagtggtca catagactat 80

<210> 10
<211> 80
<212> DNA
<213> Artificial Sequence

<220>
<223> gene fragment of heavy chain variable region

<400> 10
atacagggag ttcttggcgt tgtctctggat gatggtaat cggccctcca cagagtccgc 60
atagtctatgtgaccactat 80

<210> 11
<211> 80
<212> DNA
<213> Artificial Sequence

<220>
<223> gene fragment of heavy chain variable region

<400>	11					
acgccaagaa	ctccctgtat	ctgcaa atga	acagtctgag	agctgaggat	acggccgtat	60
atacttgtgc	gaaagtctcg					80
<210>	12					
<211>	84					
<212>	DNA					
<213>	Artificial Sequence					
<220>						
<223>	gene fragment of heavy chain variable region					
<400>	12					
cactcgagac	ggtgaccagg	gtaccttggc	cccaatagtc	aagggaggac	gcgggtgctaa	60
ggtacgagac	tttcgcacag	taat				84
<210>	13					
<211>	39					
<212>	DNA					
<213>	Artificial Sequence					
<220>						
<223>	RT-PCR forward primer specific for heavy chain					
<400>	13					
cccaagctta	ggcctccacc	aaggccccat	cggctttcc			39
<210>	14					
<211>	48					
<212>	DNA					
<213>	Artificial Sequence					
<220>						
<223>	RT-PCR reverse primer specific for heavy chain					
<400>	14					
gggggatcct	tatgggcacg	gtgggcatgt	gtgagtttg	tcacaaga		48
<210>	15					
<211>	42					
<212>	DNA					
<213>	Artificial Sequence					
<220>						
<223>	RT-PCR forward primer specific for light chain					
<400>	15					

cccaagcttt	cgcgaactgt	ggctgcacca	tctgtcttca	tc	42	
<210>	16					
<211>	42					
<212>	DNA					
<213>	Artificial Sequence					
<220>						
<223>	RT-PCR reverse primer specific for light chain					
<400>	16					
cccgatcccc	taaacactctc	ccctgttgaa	gctctttgtg	ac	42	
<210>	17					
<211>	69					
<212>	DNA					
<213>	modified E. coli thermostable enterotoxin II signal sequence					
<400>	17					
atgaaaaga	caatcgatt	tcttcttgca	tctatgttcg	ttttttctat	tgctacaaat	60
gcccaggcg						69
<210>	18					
<211>	45					
<212>	DNA					
<213>	Artificial Sequence					
<220>						
<223>	forward primer containing StuI restriction enzyme site					
<400>	18					
tctattgcta	caaattcccc	ggccttcccc	accattccct	tatcc	45	
<210>	19					
<211>	45					
<212>	DNA					
<213>	Artificial Sequence					
<220>						
<223>	reverse primer containing StuI restriction enzyme site					
<400>	19					
agataacgat	gtttacgggt	ccggaaagggt	tggttaaggga	atagg	45	
<210>	20					
<211>	51					
<212>	DNA					
<213>	Artificial Sequence					
<220>						

```

<223>    reverse primer specific for light chain

<400>    20
gggggatccct cacgcggcgc atgtgtgagt tttgtcacaa gatttaggct c      51

<210>    21
<211>    43
<212>    DNA
<213>    Artificial Sequence

<220>
<223>    forward primer containing SD sequence and BamHI restriction enzyme site

<400>    21
gggggatcca ggaggtgatt tatgaaaaag acaatcgcat ttc      43

<210>    22
<211>    44
<212>    DNA
<213>    Artificial Sequence

<220>
<223>    forward primer containing BpuI restriction enzyme site

<400>    22
ggggctgagc aggaggatgtat ttatgaaaaa gacaatcgca ttcc      44

<210>    23
<211>    52
<212>    DNA
<213>    Artificial Sequence

<220>
<223>    reverse primer containing BpuI restriction enzyme site

<400>    23
ggggctcagc tcacgcggcg catgtgtgag ttttgtcaca agattttaggc tc      52

<210>    24
<211>    63
<212>    DNA
<213>    E. coli OmpA signal sequence

<400>    24
atgaaaaaga cagctatcgc gattgcagtgcactggctg gtttcgtac cgttgcgcaa      60
gct      63

<210>    25
<211>    30

```

<212> DNA
<213> Artificial Sequence

<220>
<223> forward primer specific for heavy chain

<400> 25
gagggttcagc tagtcgagtc aggaggcggt 30

<210> 26
<211> 51
<212> DNA
<213> Artificial Sequence

<220>
<223> forward primer containing HindIII and StuI restriction enzyme sites

<400> 26
gggagatctt cacgcggcgc atgtgtgagt tttgtcacaa gattttaggct c 51

<210> 27
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> reverse primer containing stop codon and BamHI restriction enzyme site

<400> 27
gacattcaaa tgacccagag cccatccagc 30

<210> 28
<211> 42
<212> DNA
<213> Artificial Sequence

<220>
<223> forward primer containing HindIII and NruI restriction enzyme sites

<400> 28
cccagatctc taacactctc ccctgttgaa gctctttgtg ac 42

<210> 29
<211> 41
<212> DNA
<213> Artificial Sequence

<220>
<223> reverse primer containing stop codon and BamHI restriction enzyme site

<400>	29					
ggggtcgaca	ggaggtgatt	tatgaaaaag	acagctatcg	c	41	
<210>	30					
<211>	51					
<212>	DNA					
<213>	Artificial Sequence					
<220>						
<223>	reverse primer containing SalI restriction enzyme site					
<400>	30					
ggggtcgact	cacgcggcgc	atgtgtgagt	tttgtcacaa	gatttaggct	c	51
<210>	31					
<211>	42					
<212>	DNA					
<213>	Artificial Sequence					
<220>						
<223>	forward primer specific for modified E. coli enterotoxin II signal peptide and containing NdeI restriction enzyme site					
<400>	31					
gggcatatga	aaaagacaat	cgcatttctt	cttgcatcta	tg	42	
<210>	32					
<211>	705					
<212>	DNA					
<213>	Artificial Sequence					
<220>						
<223>	TNF-alpha heavy chain					
<400>	32					
gaggttcagc	tagtcgagtc	aggaggcggt	ttggtagcagc	ccggcaggtc	cctgagactc	60
tctctgtcggt	cctctggatt	cacctttgat	gattatgcca	tgcactgggt	ccggcaagct	120
ccagggaaagg	gccttggaaatg	ggtctcagct	atcacttgga	atagtggta	catagactat	180
gcggactctg	tggagggcccg	attcaccatc	tccagagaca	acgccaagaa	ctccctgtat	240
ctgcaaatga	acagtctgag	agctgaggat	acggccgtat	attactgtgc	gaaagtctcg	300
taccttagca	cccggttcctc	ccttgactat	tggggccaag	gtaccctgggt	caccgtctcg	360
agtgcctcca	ccaaggggccc	atcggtcttc	ccccctggcac	cctcctccaa	gagcacctct	420
gggggcacag	cggccctggg	ctgcctggtc	aaggactact	tcccegaacc	ggtgacgggt	480
tcgtggaaact	caggcgccct	gaccagcgcc	gtgcacacact	tcccegaacc	ggtgacgggt	540

tcaggactct	actcccttag	cagcgtggtg	accgtgcctt	ccagcagctt	gggcacccag	600
acctacatct	gcaacgtgaa	tcacaagccc	agcaacacca	aggtgtgacaa	gaaagtttag	660
cccaaattt	gtgacaaaac	tcacacatgc	ccacccgtgcc	catag		705
<210>	33					
<211>	645					
<212>	DNA					
<213>	Artificial Sequence					
<220>						
<223>	TNF-alpha light chain					
<400>	33					
gacatccaga	tgacccagtc	tecatccctec	ctgtctgcat	ctgttagggga	cagagtcacc	60
atcaacttgtc	ggccaagtca	gggcatcaga	aattacttag	cctggtatca	gaaaaacca	120
ggggaaagccc	ctaagctctt	gatctatgtt	gcateccactt	tgcaatcagg	ggtccccatct	180
cggttcagtg	cgactggatc	tgggacagat	ttcaactctca	ccatcagcag	cctacagcct	240
gaagatgttg	caacttatta	ctgtcaaagg	tataaccgtg	caccgtatac	ttttggccag	300
gggaccaagg	tggaaatcaa	acgaactgtt	gtgcacccat	ctgtcttcat	cttcccgcca	360
tctgtatgagc	agtgttatac	tggaaactgtt	tctgttgtt	gtctgtgaa	taacttctat	420
cccaagaggg	ccaaagtaca	gttggagggt	gataacgccc	tccaaatcggg	taactcccg	480
gagagtgtca	cagagcagga	cagcaaggac	agcaccttaca	gccteagcag	caccctgacg	540
ctgagcaaag	cagactacga	gaaacacaaa	gtctacgcct	gcgaagtac	ccatcaggc	600
ctgagctcgc	ccgtcacaaa	gagttcaac	agggagagtt	gttag		645
<210>	34					
<211>	7					
<212>	PRT					
<213>	TNF-alpha light chain					
<400>	34					
Asp Ile Gln Met Thr Gln Ser						
1		5				
<210>	35					
<211>	8					
<212>	PRT					
<213>	TNF-alpha heavy chain					
<400>	35					
Glu Val Gln Leu Glu Val Asp Ser						
1		5				

<210> 36
<211> 12
<212> PRT
<213> N-terminal sequence of recombinant TNF-alpha

<400> 36
Asp Glu Ile Val Gln Met Leu Thr Val Gln Asp Ser
1 5 10